

MGO-55 (Part A) Product code. HBB-002 Revision date. 12/03/2024

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE SUPPLIER

1.1 Product Identifier

Product name : MGO-55 (Part A)

1.2 Recommended use of the chemical and restrictions on use

Recommended use : For filling joints and surface repairing such as cracks, splits on concrete surface

1.3 Manufacturer or supplier's details

Manufacturer	: Blue Label Co.,Ltd.
	48/58 Moo.1 Ekachai Road, Khok-krabue,
	Amphur Muang, Samutsakhon, 74000 Thailand
	Telephone. +66 3449 4774-5 Telefax. +66 3449 4776

1.4 Emergency telephone number

Product information : +66 3449 4774-5

2. HAZARDS IDENTIFICATION

2.1 GHS Classification of the substrate or mixture

Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irritation	:	Category 2A
Skin sensitizer	:	Category 1
Long-term hazards to the aquatic environment	:	Category 3

2.2 GHS label elements

2	GHS label elements		
	Pictograms	:	
	Signal word	:	WARNING
	Hazard statements	:	
	H315		Causes skin irritation.
	H317		May cause an allergic skin reaction.
	H319		Causes serious eye irritation.
	H412		Harmful to aquatic life with long lasting effects.
	Precautionary statements	:	Prevention
	P261		Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264		Wash skin thoroughly after handling.
	P272		Contaminated work clothing should not be allowed out of the workplace.
	P273		Avoid release to the environment.
	P280		Wear protective gloves/protective clothing/eye protection/face protection.
			Response
	P302+P352		IF ON SKIN : Wash with plenty of soap and water.
	P305+P351+P338		IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses,



MG0-55 (Part A) Product code. HBB-002 Revision date. 12/03/2024

	if present and easy to do. Continue rinsing.
P333+P313	IF skin irritation or rash occurs : Get medical advice/attention.
P337+P313	IF eye irritation persists : Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
	Disposal
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

2.3 Other hazards which do not result in classification

None known

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture : Mixture		
Chemical name	CAS Number	% Weight
Reaction product : Bisphenol-A-(epichlorohydrin) epoxy resin (MW </td <td>25068-38-6</td> <td>10 - 30</td>	25068-38-6	10 - 30
Oxirane, mono [(C12-14-alkyloxy)methyl] derivs	68609-97-2	1 - 10
Calcium carbonate	471-34-1	40 - 70

4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	:	Remove person to fresh air and keep at rest in a position comfortable for breathing.
		Get medical attention if you feel unwell.
Skin contact	:	Immediately wash skin with soap and plenty of water. Remove and wash contaminated
		clothing before reuse. Get medical attention if irritation develops and persists.
Eye contact	:	Immediately rinse eyes with plenty of water for at least 15 minutes. If easy to do,
		remove contact lenses, if worn. Get medical attention immediately.
Ingestion	:	If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious
		person. Rinse mouth with clean water and get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	:	No know significant effects or critical hazards.
Skin contact	:	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	:	Causes serious eye irritation.
Ingestion	:	May be irritating to mouth, throat and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

Note to physicians : Treat symptomatically.



MGO-55 (Part A) Product code. HBB-002 Revision date. 12/03/2024

5. FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Specific hazards arising from the chemical

No specific fire or explosion hazard.

5.3 Special protective equipment and precautions for fire-fighters

In case of fire, firefighters should wear self-contained breathing apparatus (SCBA) and protective suit.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions

Avoid contact with skin and eyes. Use appropriate personal protective equipment (see section 8.) Isolate the hazard area and deny entry to unnecessary or unprotected personnel.

6.2 Environmental precautions

Prevent entry to sewers, ditches and waterways.

6.3 Methods and materials for containment and cleaning up

Collect spillage in a suitable container, seal securely for disposal according to local regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide good ventilation. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Use appropriate personal protective equipment recommended in section 8 and wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, cool and well-ventilated place, keep container tightly closed when not in use and protect from incompatible materials. Keep away from direct sunlight and heat, recommended storage is between 5°C to 40°C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

No occupational exposure limit values established.

8.2 Engineering controls

Ensure adequate ventilation, especially in confined areas.

8.3 Personal protective equipment (PPE)

Skin protection	:	Wear chemical resistance gloves and appropriate protective clothing and boots
		as required to prevent skin contact.
Eye protection	:	Wear chemical goggles and/or face shields as required to prevent potential eye
		contact, irritation or injury.
Respiratory protection	:	Wear respiratory protection when encounter concentrations of contaminants and
		there is inadequate ventilation.



MGO-55 (Part A) Product code. HBB-002

Revision date. 12/03/2024

Hygiene measures

:

Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use. When using do not eat, drink or smoke.

> No dangerous reaction known under conditions of normal use. This product is stable under normal conditions of storage.

9. PHYSICAL AND CHEMICAL PROPER	FIES	
9.1 Appearance	:	White viscous
9.2 Odour	:	Characteristic
9.3 Odour threshold	:	No data available
9.4 рН	:	No data available
9.5 Melting point/freezing point	:	No data available
9.6 Boiling point/boiling rage	:	No data available
9.7 Flash point	:	Noncombustible
9.8 Evaporation rate	:	No data available
9.9 Flammability (solid, gas)	:	No data available
9.10 Upper/Lower explosive limits	:	No data available
9.11 Vapour pressure	:	No data available
9.12 Vapour density	:	No data available
9.13 Relative density	:	1.80 – 1.90
9.14 Solubility (in water)	:	No data available
9.15 Partition coefficient : n-octanol/water	:	No data available
9.16 Auto-ignition temperature	:	No data available
9.17 Decomposition temperature	:	No data available
9.18 Viscosity	:	No data available

10. STABILITY AND REACTIVITY

10.1	Reactivity
------	------------

- 10.2 Chemical stability
 - 10.3 Possibility of hazardous reactions
 - 10.4 Conditions to avoid
 - 10.5 Incompatible materials
- Heat and direct sunlight. No data available

Hazardous reactions will not occur.

:

:

÷

·

- 10.6 Hazardous decomposition products
- No data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

Skin contact, eye contact

11.2 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	:	No know significant effects or critical hazards.
Skin contact	:	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	:	Causes serious eye irritation.
Ingestion	:	May be irritating to mouth, throat and stomach.



MG0-55 (Part A) Product code. HBB-002 Revision date. 12/03/2024

11.3 Delayed and immediate effects and also chronic effects from short and long term exposure

Skin corrosion/irritation	:	Causes skin irritation
Serious eye damage/irritation	:	Causes serious eye irritation
Respiratory or skin sensitization	:	May cause an allergic skin reaction
Gem cell mutagenicity	:	No data available
Carcinogenicity	:	No data available
Reproductive toxicity	:	No data available
STOT-Single exposure	:	May cause respiratory irritation
STOT-Repeated exposure	:	No data available
Aspiration toxicity	:	No data available

:

11.4 Numerical measure of toxicity

Acute toxicity

No data available

12. ECOLOGICAL INFORMATION				
12.1 Ecotoxicity	:	No data available		
12.2 Persistence and degradability	:	No data available		
12.3 Bioaccumulative potential	:	No data available		
12.4 Mobility in soil	:	No data available		
12.5 Other adverse effects	:	No data available		

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

This material and its container must be disposed of in a safe way. Do not allow material into any sewer on the ground, or into any body of water. Dispose of contents/container in accordance with local/regional/nation/international regulations, or send to a licensed waste management company.

14. TRANSPORT INFORMATION

This product is not classified as dangerous goods for transport according to ADR/RID, IMO/IMDG and IATA/ICAO regulation.

14.1	UN number	:	Not required
14.2	UN proper shipping name	:	Not required
14.3	Transport hazard class	:	Not required
14.4	Packing group	:	Not required
14.5	Environmental hazards	:	No

- **14.6 Special precautions for user** : No data available
- 14.7 Transport in bulk according to Annex II of MAROL 73/78 and IBC code : Not applicable



MGO-55 (Part A) Product code. HBB-002 Revision date. 12/03/2024

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

16. OTHER INFORMATION

16.1 Revision history

Revision date	:	12 March 2024
Reason for revision	:	Updated information compliant with GHS standard

16.2 Definitions and abbreviations

ACGIH	:	American Conference of Governmental Industrial Hygienists
ADR/RID	:	European Agreement for transport of dangerous goods by road (ADR) and by rail (RID)
GHS	:	Global Harmonized System of Classification and Labeling of Chemicals
IATA	:	International Air Transport Association
ICAO	:	International Civil Aviation Organization
IMO	:	International Maritime Organization
IMDG	:	International Maritime Dangerous Goods
LC50	:	Lethal Concentration, 50 percent
LD50	:	Lethal Dose, 50 percent
OEL	:	Occupational Exposure Limit
OSHA	:	Occupational Safety and Health Administration
PEL	:	Permissible Exposure Limit
STOT	:	Specific Target Organ Toxicity
TLV	:	Threshold Limit Value
TWA	:	Time Weighted Average

16.3 Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We will not be held liable for any damage resulting from handling or from contact with the above product.



MGO-55 (Part B) Product code. HBB-002 Revision date. 12/03/2024

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE SUPPLIER

1.1 Product Identifier

Product name : MGO-55 (Part B)

1.2 Recommended use of the chemical and restrictions on use

Recommended use : For filling joints and surface repairing such as cracks, splits on concrete surface

1.3 Manufacturer or supplier's details

Manufacturer	: Blue Label Co.,Ltd.
	48/58 Moo.1 Ekachai Road, Khok-krabue,
	Amphur Muang, Samutsakhon, 74000 Thailand
	Telephone. +66 3449 4774-5 Telefax. +66 3449 4776

1.4 Emergency telephone number

Product information : +66 3449 4774-5

2. HAZARDS IDENTIFICATION

2.1 GHS Classification of the substrate or mixture

Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irritation	:	Category 1
Skin sensitizer	:	Category 1
Long-term hazards to the aquatic environment	:	Category 3

2.2 GHS label elements

Pictograms



Signal word	:	DANGER	
Hazard statements	:		
H315		Causes skin irritation.	
H318		Causes serious eye damage.	
H317		May cause an allergic skin reaction.	
H412		Harmful to aquatic life with long lasting effects.	
Precautionary statements	:	Prevention	
P261		Avoid breathing dust/fume/gas/mist/vapours/spray.	
P264	Wash skin thoroughly after handling.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280		Wear protective gloves/protective clothing/eye protection/face protection.	
		Response	
P301+P330+P331+P312		IF SWALLOWED : Rinse mouth. Do not induce vomiting. Call a poison center/doctor	
		if you fell unwell.	



MGO-55 (Part B) Product code. HBB-002 Revision date. 12/03/2024

P303+P361+P353	IF ON SKIN (or hair) : Remove/Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304+P340+P310	IF INHALED : Remove person to fresh air and keep comfortable for breathing.
	Call a poison center or doctor/physician if you feel unwell.
P305+P351+P338+P310	IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.
P333+P313	IF skin irritation or rash occurs : Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
	Storage
P405	Store locked up.
	Disposal
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

2.3 Other hazards which do not result in classification

None known

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture : Mixture					
Chemical name	CAS Number	% Weight			
Polyoxypropylenediamine	9046-10-0	10 - 30			
3-Aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	1 - 10			
Benzyl alcohol	100-51-6	1 - 10			
Calcium carbonate	471-34-1	40 - 70			

4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	:	Remove person to fresh air and keep at rest in a position comfortable for breathing.
		Get medical attention if you feel unwell.
Skin contact	:	Immediately wash skin with soap and plenty of water. Remove and wash contaminated
		clothing before reuse. Get medical attention if irritation develops and persists.
Eye contact	:	Immediately rinse eyes with plenty of water for at least 15 minutes. If easy to do,
		remove contact lenses, if worn. Get medical attention immediately.
Ingestion	:	If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious
		person. Rinse mouth with clean water and get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	:	Irritations of the mucous membranes, coughing and dyspnoea.
Skin contact	:	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	:	Causes serious eye damage.
Ingestion	:	Harmful if swallowed. Burns in mouth, throat and gastrointestinal tract.



MGO-55 (Part B) Product code. HBB-002 Revision date. 12/03/2024

4.3 Indication of any immediate medical attention and special treatment needed

Note to physicians : Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Specific hazards arising from the chemical

Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Special protective equipment and precautions for fire-fighters

In case of fire, firefighters should wear self-contained breathing apparatus (SCBA) and protective suit.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions

Avoid contact with skin and eyes. Use appropriate personal protective equipment (see section 8.) Isolate the hazard area and deny entry to unnecessary or unprotected personnel.

6.2 Environmental precautions

Prevent entry to sewers, ditches and waterways.

6.3 Methods and materials for containment and cleaning up

Collect spillage in a suitable container, seal securely for disposal according to local regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide good ventilation. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Use appropriate personal protective equipment recommended in section 8 and wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, cool and well-ventilated place, keep container tightly closed when not in use and protect from incompatible materials. Keep away from direct sunlight and heat, recommended storage is between 5°C to 40°C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

No occupational exposure limit values established.

8.2 Engineering controls

Ensure adequate ventilation, especially in confined areas.

8.3 Personal protective equipment (PPE)

- Skin protection : Wear chemical resistance gloves and appropriate protective clothing and boots.
- Eye protection : Wear chemical goggles and/or face shields.
- Respiratory protection : Wear the suitable mask when encounter concentrations of contaminants and



MGO-55 (Part B) Product code. HBB-002 Revision date. 12/03/2024

there is inadequate ventilation.

Hygiene measures

:

Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use. When using do not eat, drink or smoke.

9. PHYS	9. PHYSICAL AND CHEMICAL PROPERTIES				
9.1 App	earance	:	Black viscous		
9.2 Odo	ur	:	Amine odour		
9.3 Odo	ur threshold	:	No data available		
9.4 pH		:	No data available		
9.5 Melt	ing point/freezing point	:	No data available		
9.6 Boil	ing point/boiling rage	:	No data available		
9.7 Flas	h point	:	Noncombustible		
9.8 Eva	poration rate	:	No data available		
9.9 Flan	nmability (solid, gas)	:	No data available		
9.10 Upp	er/Lower explosive limits	:	No data available		
9.11 Vap	our pressure	:	No data available		
9.12 Vap	our density	:	No data available		
9.13 Rela	tive density	:	1.40 – 1.50		
9.14 Solu	ıbility (in water)	:	No data available		
9.15 Part	ition coefficient : n-octanol/water	:	No data available		
9.16 Auto	o-ignition temperature	:	No data available		
9.17 Dec	omposition temperature	:	No data available		
9.18 Visc	osity	:	No data available		

10. STABILITY AND REACTIVITY No dangerous reaction known under conditions of normal use. 10.1 Reactivity ÷ 10.2 Chemical stability : This product is stable under normal conditions of storage. 10.3 Possibility of hazardous reactions Hazardous reactions will not occur. : 10.4 Conditions to avoid • Heat, flames and sparks 10.5 Incompatible materials Strong acids and strong oxidizing agents No data available 10.6 Hazardous decomposition products ·

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

Inhalation, skin contact, and eye contact

11.2 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	:	Irritations of the mucous membranes, coughing and dyspnoea.
Skin contact	:	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	:	Causes serious eye damage.
Ingestion	:	Harmful if swallowed. Burns in mouth, throat and gastrointestinal tract.



MGO-55 (Part B) Product code. HBB-002 Revision date. 12/03/2024

11.3 Delayed and immediate effects and also chronic effects from short and long term exposure

Skin corrosion/irritation	:	Causes skin irritation.
Serious eye damage/irritation	:	Causes serious eye damage.
Respiratory or skin sensitization	:	May cause an allergic skin reaction.
Gem cell mutagenicity	:	No data available
Carcinogenicity	:	No data available
Reproductive toxicity	:	No data available
STOT-Single exposure	:	No data available
STOT-Repeated exposure	:	No data available
Aspiration toxicity	:	No data available

:

11.4 Numerical measure of toxicity

Acute toxicity

No data available

12. ECOLOGICAL INFORMATION Harmful to aquatic life with long lasting effects. 12.1 Ecotoxicity : **Components** Polyoxypropylenediamine a) Aquatic acute toxicity LC50 - Fish >100 mg/l (96 hr.) 3-Aminomethyl-3,5,5-trimethylcyclohexylamine a) Aquatic acute toxicity LC50 - Fish 110 mg/l (96 hr.) EC50 - Daphnia 23 mg/l (48 hr.) >50 mg/l (72 hr.) ELC50 - Algae b) Aquatic chronic toxicity NOEC - Daphnia 3 mg/l (504 hr.) Benzyl alcohol a) Aquatic acute toxicity LC50 - Fish 460 mg/l (96 hr.) EC50 - Daphnia 230 mg/l (48 hr.) ELC50 - Algae 700 mg/l (72 hr.) 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available

12.5 Other adverse effects

Avoid release to the environment

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

This material and its container must be disposed of in a safe way. Do not allow material into any sewer on the ground, or into any body of water. Dispose of contents/container in accordance with local/regional/nation/international regulations, or send to a licensed waste management company.



MGO-55 (Part B) Product code. HBB-002 Revision date. 12/03/2024

14. TRANSPORT INFORMATION

This product is not classified as dangerous goods for transport according to ADR/RID, IMO/IMDG and IATA/ICAO regulation.

14.1 UN number	:	Not required
14.2 UN proper shipping name	:	Not required
14.3 Transport hazard class	:	Not required
14.4 Packing group	:	Not required
14.5 Environmental hazards	:	No
14.6 Special precautions for user	:	No data available

14.7 Transport in bulk according to Annex II of MAROL 73/78 and IBC code : Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

16. OTHER INFORMATION

16.1	Revision history		
	Revision date	:	12 March 2024
	Reason for revision	:	Updated information compliant with GHS standard

16.2 Definitions and abbreviations

ACGIH	:	American Conference of Governmental Industrial Hygienists
ADR/RID	:	European Agreement for transport of dangerous goods by road (ADR) and by rail (RID)
GHS	:	Global Harmonized System of Classification and Labeling of Chemicals
IATA	:	International Air Transport Association
ICAO	:	International Civil Aviation Organization
IMO	:	International Maritime Organization
IMDG	:	International Maritime Dangerous Goods
LC50	:	Lethal Concentration, 50 percent
LD50	:	Lethal Dose, 50 percent
OEL	:	Occupational Exposure Limit
OSHA	:	Occupational Safety and Health Administration
PEL	:	Permissible Exposure Limit
TLV	:	Threshold Limit Value
TWA	:	Time Weighted Average

16.3 Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We will not be held liable for any damage resulting from handling or from contact with the above product.